



DECLARATION OF PERFORMANCE

AH0001

AH

Aluminium Double Glazed Stormproof Casement Window
AH-1.4-1200-SEP26

ASHI Group Limited
Liberator Road, Norwich, Norfolk, NR6 6EU

BS EN 14351-1:2006+A2:2016

Windows and doors - Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics.

Window intended for use in domestic and commercial locations.

System of AVCP

System 3

Notified Bodies

UL International (UK) Limited - (0843) - BS 6375-1:2015+A1:2016 - Test Report: R4789876654
ift Rosenheim GmbH (NB 0757) - ISO 10077-1:2017 -
Test Report: 18-002099-PR01 LogiKal Version 12.2.6.44 /
U-value-calculation version 1.1.0.0

Quality Management System & Factory Production Control

BSI Assurance UK Ltd - UKAS Accreditation - 0003
Certificate Number: FM 11180

Essential Characteristic	Performance	Classification Standard	Report Reference
Watertightness	Class 3A (100 Pa)	EN 12208:2016	R4789876654
Dangerous substances	None	None	Declaration
Resistance to wind load	Class A3 (1200 Pa)	EN 12210:2000	R4789876654
Load bearing capacity of safety devices	NPD	N/A	N/A
Acoustic performance	NPD	N/A	N/A
Thermal transmittance	1.4 W/m ² K	ISO 10077-1:2017	18-002099-PR01
Thermal transmittance - windows with single Georgian or cottage bar	1.5 W/m ² K	ISO 10077-1:2017 EN 14351-1:2006	18-002099-PR01
Thermal transmittance - windows with multiple Georgian or cottage bar	1.6 W/m ² K	ISO 10077-1:2017 EN 14351-1:2006	18-002099-PR01
Radiation properties	NPD	N/A	N/A
Air permeability	Class 2 (300 Pa)	EN 12207:2000	R4789876654

Declaration of Performance

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 [as it has effect in the United Kingdom in respect of Great Britain], under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the
manufacturer by:

Matthew Cubitt
Head of Technical & Quality

September 2026
Norwich UK